



GENERAL NOTE:-

1. ALL DIMENSIONS ARE IN MET AND MILLIMETER UNLESS OTHERWISE NOTED.
2. ALL RCC WORKS OF M30 GRADE TO GIVE A STRENGTH OF 30 N/mm²
3. ALL REINFORCEMENT BARS SHALL BE OF HIGH STRENGTH DEFORMED BARS CONFIRMING TO IS 1789-1975 Fe-500.
4. RCC WORKS SHALL BE CARRIED OUT AS PER CODE IS-456-2000.
5. THE CONCRETE SHALL BE INVARIABLY VIBRATED.
6. S.B.C OF SOIL = 15 T/SQM
7. FOUNDATIONS TO REST ON HARD SOIL.
8. BM IN CM (1:6)

REV	DRAWN	DATE	CHECKED	APPROVED	DESCRIPTION
0	JO	07/05/12	CP		TENDER ISSUE

PROJECT:
INTEGRATED ALUMINIUM DOWN STREAM INDUSTRY

CLIENT:
DEEPAK CABLES (INDIA) LTD
 Village & Post - Dulampur,
 Bargarh, Odisha-768 111

ARCHITECTURAL / STRUCTURAL:
PS ENGINEERING CONSULTANTS
 2A, BHUVAN BHAVAN, PLOT-1, SARUPA COLONY,
 751002, B.P. PURI, BARGARH, ODISHA
 HYDRAABAD - 500 015, INDIA
 PH: 91-40-4854 8200
 E-MAIL: PS@PS-INDIA.COM
 WWW.PS-INDIA.COM

DWG TITLE: INDUSTRIAL SHEDS - DETAILS

DRG.No. DCB/ORISSA/GEN/S/002	REV 0	
DRAWN JOSEPH	CHECKED CP	APPROVED
SCALE -	DATE 29/03/12	STATUS T